



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Portable Computer Tablet					
Commercial name *	Lenovo Smart Tab M10 HD with Alexa Built-in					
Model number *	ZA70, ZA71					
Issue date *	2020.6.29					
Intended market *	☐ Global ☑ Europe ☑ Asia, Pacific & Japan ☑ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Issue date * 2020.6.29 Product environmental attributes - Legal requirements Requirements		
Item		t met
Item	No	
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)		n.a.
, in the second of the second		
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure		
P2 Batteries		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		
P2.3* Batteries and accumulators are readily removable. (See legal reference)		
P3 Conformity verification & Eco design (ErP)		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc		
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).		
Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration		
P5 Product packaging		
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		
P6 Treatment information		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1*

Model number *	ZA70, ZA71	Logo	Lo	001/0	
Issue date *	2020.6.29		LE		

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 2 years			
P7.10	Service is available after end of production for: 2 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+20%GF Material type: C7521 Material type: SUS304			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		\boxtimes	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
P7.17	Marking: <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
1 7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5	\square		
	_ , _ , _ , _ , _ , _ , _ , _ , _ , _ ,		ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			\boxtimes
5 = 40				
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: PX-200 , CAS #: 139189-30-3 (See NOTE B4)		Ш	
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:>PC-GF20FR40<			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	\boxtimes		
	assigned the following Risk phrases; R43 and Hazard statements: H317;H411		_	
	The source(s) for these classifications is/are found at (add URL(s)):			
P7.20*	http://www.molbase.com/en/precursor_139189-30-3-moldata-67767.html, (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			
1 1.20	i ostoonsumoi rooyolea piastio material content is asea in the product (see Note bo).	Ш	\triangle	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %. or			
	1) -			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	ZA70, ZA	A <i>71</i>			Logo			
Issue date	*	2020.6.2	9			Lenovo			
Product	environn	nental at	tributes - Market r	equirements (conti	nued)	Requirement met			
Item				•	•	Yes No n.a.			
	Material	and subs	stance requirements	(continued)					
P7.21*		•		d in the product (See N					
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries								
P8.1*	Battery chemical composition: Li-ion Polymer								
P9	Energy	consump	tion (See NOTE B8)						
P9.1	For the p	roduct the		ls or energy consumption	ons are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	max)		24 W	24 W	24 W	Full load			
Categor									
Short Idle Enabled	State - W	OL	2.18 W	2.2 W	2.2 W	Use for ENERGY STAR V8.0 registration (P _{idle})			
Long Idle Enabled	State - W	OL	0.19 W	0.20 W	0.21 W	Use for ENERGY STAR V8.0 registration (P _{idle})			
Sleep (S3)	- WOL D	isabled	0.19 W	0.20 W	0.21 W	Use for ENERGY STAR V8.0 registration(P _{sleep})			
Off (S5) - V	NOL Disa	bled	0.13 W	0.13 W	0.15 W	Use for ENERGY STAR V8.0 registration(P _{off}) Use for ErP			
EPS No-loa (External power s wall outlet but dis	supply / charger	plugged in the	0.045 W	0.046 W	0.071 W				
PTEC * Typical Ene			W	W	W				
ETEC * Annual Ene		-	6.81 kWh/year	6.89 kWh/year	6.98 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{Sleep} x 0.35 + P _{long_ldle} x 0.10+			
			P: Off Mode(\$5) - W	Ol Fnahled: P: Sleen	Mode(\$3) - WOL Enable	P _{short_Idle} x 0.30) ed; P _{idle} : Idle State - WOL Enabled			
External Po	ower Sunn	ly Efficien		I Efficiency Marking Pro		- International Property Control of the Control of			
Display res		•	· · · · · · · · · · · · · · · · · · ·						
			ve mode: 0.5 minutes						
P9.2*					product				
P9.2 P9.3	Information about the energy save function is provided with the product.								
	Energy efficiency class (monitors only):								
P10	Emissio Noise er		Declared according to	o ISO 9296 (See NOTE	: B9)				
P10.1	Mode		Mode description	0 100 0200 (000 110 12		it A-weighted sound power level, L _{WA,c} (B)			
	Idle	*	į. · · ·		*	× · · · · · · · · · · · · · · · · · · ·			
	Operatio				*				
	Other mo	ode D	eclared A-weighted sour	ad pressure level (dB) $L_{p{\sf An}}$	(operator po	sition desktop – idle)			
	Other mo	ode D	eclared A-weighted soun	ad pressure level (dB) L_{pAn}	(operator po	sition desktop – operating)			
	Measure	d accordir		ECMA-74					
	Other (only if not covered by ECMA-74)								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	mber *	ZA70, ZA71				Logo	Long	W/0	
Issue dat	e *	2020.6.29					Lenc		тм
Product	environn	nental attribu	tes - Market requirements ((continued)			Require	ment	met
Item			•	,			Yes	No	n.a
		nagnetic emiss							
P10.4	program((s):	the requirement for low frequen	cy electromagnetic fields	of the follo	wing voluntary	/		
P12	Ergonon	nics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements of ISO 92	241-307 for visual display	y technolog	jies.			
P12.2*	The phys	sical input device	e meets the requirements of ISC	9995 and ISO 9241-410) .				
P13	Packagi	ng and docum	entation						
P13.1*	Product	packaging mate	rial type(s): box weigh rial type(s): paper(Cushion) rial type(s): PE weight (kg): 0.0 0	ut (kg): 0.288 weight (kg): 0.108 08					
P13.2*	Product	olastic primary p	packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: %					\boxtimes			
P13.4*		nedia for user a onic, <mark>X</mark> Paper,	nd product documentation (tick t	oox):					
P13.5	Ùser and		nis item if paper documentation usentation on paper media is chlor						
	•	nlorine-free al chlorine-free							
	Processe	ed chlorine-free					Ħ		
P14	Voluntai	y programs							
P14.1			equirements of the following volu	ıntary program(s):					
	ENERGY Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2018-11-18 Date: Date:	Product c Product c Product c				
P15	Addition	al information	(See NOTE B10)						
P9	Energy of	consumption o	f specific configuration may v	ary; description of the	tested pro	duct configur	ation:		
	informati knowledg	on contained in ge available at t here is approxi	no representations, guarantees, this document. All information p the time of completion, and suppl mate and provided for information	rovided by supplier in this lier shall have no obligati	s documen ion to upda	t is provided batte such information	ased on suppation. The in	olier's format	iion
P9			ed Notebooks & Tablet Compute ov/index.cfm?fuseaction=find_a_			code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Smart Tab M10 HD with Alexa Built-in	Logo	
Model Number	ZA70, ZA71		Lenovo
Issue Date	2020.6.29		Lenovo.
Additional information			

	Product environmental attributes						
(d)	Year of manufacture:				2020		
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (denable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	4					
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	No					
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	6.89					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);	•	•	•	2.2		
(h)	Sleep mode power demand (Watts);				0.20		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);				
(j)	Off mode power demand (Watts);				0.13		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);				
(1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
(m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 86.93%						
	*internal note: show values for all available external po	ower supplies					
(o)	Minimum number of loading cycles that t				capacity		
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:		
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption						

(p-3)	Measurement metho	dology used to determine information mentioned in policy used to determine information mentioned in the policy used to determine information mention mentioned in the policy used to determine information mention mentioned in the policy used	points (o) – loading cycles batteries:				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Final Test Method for Computers, Rev. October 2019						
(q)	Sequence of steps for achieving a stable condition with respect to power demand: ENERGY STAR Final Test Method for Computers, Rev. October 2019						
(r)	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state						
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
	ref	er to power management, 1mins automatically re	eaches sleep mode				
(t) (u)	condition which does	te condition before the computer automatically renot exceed the applicable power demand requirement a period of user inactivity in which the computer	ents for sleep mode (in minutes):	1 NA			
(v)		ver power demand requirement than sleep mode (in re the display sleep mode is set to activate after		1			
(w)		nergy-saving potential of power management function refer to user manual		<u>, , </u>			
(x)	User information on I	now to enable the power management functionality:					
		refer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits				
Addition	nal Notebook Batter	y Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/	built-in Battery						
External	/detachable Battery						
Bios Bao	ckup Battery						
Other:							
Addition	al information						
1)							
Akymynatopi Las baterías Výměnu bate Brugeren kai Der Akku/die Kasutajad ei H μπαταρία[- La/les batteria/le Lietotāji paši Šio gaminio A termék akl Il-batterija/ba Batterite [ene Użytkownik r A ou as bate Bateria (bate Batteria (bate Batteria (bate Batterij (bate Batterij (bate	ната[ите] батерия[и] в този de este producto no pueder prier/baterií v tomto výrobku by n ikke uden videre udskifte be Akkus dieses Produkts kann saa selle toote akut/akusid is -ες] στο προϊόν αυτό δεν μπο ie(s présente(s) dans ce producže lako zamijeniti Bateriju s b atterije in questo prodotto n nevar nomainit šā ražojuma baterijos [bateriju] pats vartot kumulátorát/akkumulátorat utteriji fdan il-prodott ma tista: e] i dette produktet kan ikke le n) in dit product is (zijn) door nie može sam w latwy sposóbrias deste produto não poder vinile) din acest produs nu poar tomto výrobku nemôže vymi je v tem izdelku uporabniki sa een akku [akut] ei[văt] ole hel	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs esam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojos negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. «/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. stt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. u wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. te (pot) fi uşor înlocuità (înlocuite) de utilizatorii înşişi. eñať používateľ. umi ne morejo zlahka zamenjati.	werden.				